

7. Beverage Coolers



Back Bar coolers

Models	Description	Page	Models	Description	Page
IMD-ERV36IIGD	Back bar cooler - 1 glass door	72	IMD-ERV15 GD	Narrow back bar cooler black 1 glass door	72
IMD-ERV60IIGD	Back bar cooler - 2 glass door	72	IMD-ERV25 GD	Narrow back bar cooler black 2 glass door	72
IMD-ERV84IIGD	Back bar cooler - 3 glass door	72	IMD-ERV35 GD	Narrow back bar cooler black 3 glass door	72
IMD-ERV36IISD	Back bar cooler - 1 solid door	72	IMD-ERV15 SD	Narrow back bar cooler black 1 solid door	72
IMD-ERV60IISD	Back bar cooler - 2 solid door	72	IMD-ERV25 SD	Narrow back bar cooler black 2 solid door	72
IMD-ERV84IISD	Back bar cooler - 3 solid door	72	IMD-ERV35 SD	Narrow back bar cooler black 3 solid door	72
IMD-ERV15 IIGD	Narrow back bar cooler - 1 glass door	72	IMD-ERV25 C	Narrow back bar cooler black 2 glass sliding door	72
IMD-ERV25 IIGD	Narrow back bar cooler - 2 glass door	72	IMD-BC48	Bottle Cooler 48"	72
IMD-ERV35 IIGD	Narrow back bar cooler - 3 glass door	72	IMD-BC72	Bottle Cooler 72"	72
IMD-ERV15 IISD	Narrow back bar cooler - 1 solid door	72			
IMD-ERV25 IISD	Narrow back bar cooler - 2 solid door	72			
IMD-ERV35 IISD	Narrow back bar cooler - 3 solid door	72			



Merchandisers

Models	Description	Page
IMD-ERV 53	Hinged door merchandiser - 1 glass door	74
IMD-ERV 83	Hinged door merchandiser - 2 glass door	74
IMD-NEC501RV	Hinged door merchandiser - 1 glass door	74
IMD-NEC501FV	Hinged door merchandiser freezer - 1 glass door	74
IMD-ERC 100	Sliding door merchandiser - 2 glass door	74
IMD-ERC 130	Sliding doors minimarket - 2 glass door	74
IMD-ERC 200	Sliding doors minimarket - 3 glass door	74
IMD-ERC50PH	Hinged doors minimarket - 1 glass door	76
IMD-ERC130PH	Hinged doors minimarket - 2 glass door	76
IMD-ERC200PH	Hinged doors minimarket - 3 glass door	76
IMD-ERC50PHBT	Hinged doors minimarket freezer - 1 glass door	76
IMD-ERC130PHBT	Hinged doors minimarket freezer - 2 glass door	76
IMD-ERC200PHBT	Hinged doors minimarket freezer - 3 glass door	76




SuperCooler

Models	Description	Page
IMD-SPC501	Supercooler stainless steel 1 glass door	78
IMD-SPC501B	Supercooler black 1 glass door	78



Bar Station

Models	Description	Page
IMD-BST1600R	Single service cocktail bar station refrigerated	80
IMD-BST2000R	Double service cocktail bar station refrigerated	80
IMD-BST1200N	Single service cocktail bar station neutral	80
IMD-BST1600N	Single service cocktail bar station neutral	80
IMD-BST2000N	Double service cocktail bar station neutral	80



Specifications



Standard lock



Removable top to fit 34" counter height



Protected digital controller



ERV36 II SD



ERV15 II GD



ERV35 II GD



BST200

Back bar coolers

Exterior

- AISI 430 stainless steel

Interior

- AISI 430 Stainless Steel
- Sealed interior floors

Insulation

- CFC-Free polyurethane insulation, entire cabinet structure is foamed-in place using a high density polyurethane insulation
- Low GWP & Zero ODP effect

Shelving

- [2] Two plastic coated wire shelves per section

Doors

- Self closing doors with stay open feature
- Stainless Steel heavy-duty hinges
- Triple chamber snap in door gaskets for easy removal and cleaning
- Doors locks
- Full-height door opening:
WxH= 19-5/8"x26-7/8"

Refrigeration

- Digital temperature controller with automatic defrost system
- Energy-saving non-electric condensate pan
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Forced air refrigeration system
- Monoblok



Light Canopy



Digital Controller



DOOR



ERC130



ERC200PH

Narrow back bar coolers

Exterior

- 430 stainless steel

Interior

- Grey coated steel
- Interior lighting / LED
- Plastic coated wire shelves, adjustable height and easy removal

Insulation

- Free CFC's high density [40kg/m³] polyurethane insulation with low GWP & zero ODP effect

Doors

- Doors with double glass. (6-10-4)
- Integrated lock
- Easy removal gasket
- Integrated handle doors

Refrigeration

- Forced air refrigeration system
- Evaporator coil coated with anti-corrosion material 100% Polyester
- Evaporative tray

ERV Series

Back bar collers
Narrow back bar coolers

ERV Series
ERV INOX Series

NEW PRODUCT

IMD-ERV60IIGD

Standard door lock



Wine Shelves
(optional)

Double pane glass (6-15-5)

Protected digital controller



Monoblock refrigeration system



IMD-ERV36IISD

Removable top to fit 34" counter height



NEW



MOD.	Overall Dimensions			Doors	(°F)	(ft ³)	(HP)	115V	[Lbs]	DOE
IMD-ERV36IIGD	36-1/4	23-3/4	34-1/2	1	33°F/38°F	5.72	1/5	3,8	280	Hydrocarbon R-290
IMD-ERV60IIGD	60-3/4	23-3/4	34-1/2	2	33°F/38°F	12.78	1/5	5,2	330	Hydrocarbon R-290
IMD-ERV84IIGD	85-1/4	23-3/4	34-1/2	3	33°F/38°F	19.85	1/3	6	500	Hydrocarbon R-290
IMD-ERV36IISD	36-1/4	23-3/4	34-1/2	1	33°F/38°F	5.72	1/5	3,8	280	Hydrocarbon R-290
IMD-ERV60IISD	60-3/4	23-3/4	34-1/2	2	33°F/38°F	12.78	1/5	5	330	Hydrocarbon R-290
IMD-ERV84IISD	85-1/4	23-3/4	34-1/2	3	33°F/38°F	19.85	1/3	5,7	500	Hydrocarbon R-290
IMD-ERV15 IIGD	23-3/4	20-1/8	35-3/4	1	39°F/54°F	5	1/6	3	152	Hydrocarbon R-290
IMD-ERV25 IIGD	35-1/2	20-1/8	35-3/4	2	39°F/54°F	8	1/5	3,4	202	Hydrocarbon R-290
IMD-ERV35 IIGD	53-1/4	20-1/8	35-3/4	3	39°F/54°F	11.6	1/4	3	284	Hydrocarbon R-290
IMD-ERV15 IISD	23-3/4	20-1/8	35-3/4	1	39°F/54°F	5	1/6	3	152	Hydrocarbon R-290
IMD-ERV25 IISD	35-1/2	20-1/8	35-3/4	2	39°F/54°F	8	1/5	3,4	202	Hydrocarbon R-290
IMD-ERV35 IISD	53-1/4	20-1/8	35-3/4	3	39°F/54°F	11.6	1/4	3	284	Hydrocarbon R-290
IMD-ERV25 C [Sliding]	35-1/2	20-1/8	35-3/4	2	39°F/54°F	8	1/5	3,4	202	Hydrocarbon R-290
IMD-ERV15 GD	23-3/4	20-1/8	35-3/4	1	39°F/54°F	5	1/5	3	152	Hydrocarbon R-290
IMD-ERV25 GD	35-1/2	20-1/8	35-3/4	2	39°F/54°F	8	1/5	3,4	202	Hydrocarbon R-290
IMD-ERV35 GD	53-1/4	20-1/8	35-3/4	3	39°F/54°F	11.6	1/4	4,10	284	Hydrocarbon R-290
IMD-ERV15 SD	23-3/4	20-1/8	35-3/4	1	33°F/38°F	5	1/5	3	280	Hydrocarbon R-290
IMD-ERV25 SD	35-1/2	20-1/8	35-3/4	2	33°F/38°F	8	1/5	3,4	330	Hydrocarbon R-290
IMD-ERV35 SD	53-1/4	20-1/8	35-3/4	3	33°F/38°F	11,6	1/4	4,6	500	Hydrocarbon R-290

NEW
NEW
NEW
NEW

Narrow back bar coolers black finish

ERV Series

NEW PRODUCT

IMD-ERV35IIGD



RGB LED lighting
[standard]

IMD-ERV25 C (Sliding Doors)
IMD-ERV25 GD



RGB LED lighting
[standard]



IMD-ERV25 IISD

IMD-ERV25 SD



7 BEVERAGE COOLERS

STANDARD FEATURES

ELECTRICAL	Cord and NEMA 5-15P plug. Electrical connection is 115V / 1ph / 60Hz.
OPTIONS	Set of 4" casters, Set of 4" casters, front locking.