

## C2648 - 2600lb Cube Ice Machine

Prodigy Plus® Modular Cube Ice Machine

#### The world's smartest cuber.

As the world's only self-monitoring cuber, the new Scotsman Prodigy Plus® cube ice machines make it easier than ever to maintain your equipment and save money. Whether it's the advanced ice level control or an optional feature board for quick diagnostics, this is ice-making re-imagined. And with intuitive technology like AutoAlert™ indicator lights, a reduced operational footprint and easy-access service from the front panel, Prodigy Plus® cubers are simply the smartest, most reliable way to create fresh-tasting ice — every time.

# The Prodigy Plus® difference. • AutoAlert™ indicator lights for better visibility

- Operational footprint among the industry's smallest
- Industry-exclusive QR code instantly connects users to service information and warranty history
- One-touch cleaning reduces labor costs and saves time
- Front-located air filter for more efficient operation
- Self-aligning front panel for easy access to key components
- Patented WaterSense purge control automatically reduces scale buildup
- Patented Harvest Assist efficiently moves cube ice to the bin
- Smart-Board™ advanced feature module available for additional diagnostic
- Optional Vari-Smart™ ice level control allows operators to customize ice levels
- Antimicrobial protection guards internal surfaces between cleanings
- A full range of water- and energy-saving features



### 24 Hour Volume Production

Rem	ote	
70°F/21°C A 50°F/10°C Wa		
2630/1193 lb/kg	2131/967 lb/kg	



BH1600BB BH1600SS



### **Modular Bin Options**

		Bin Application		
Model	Dimensions	Capacity	Finish	Ship Weight
Number*	W" x D" x H"	lb/kg		lb/kg
BH1600BB	60 x 34 x 62**	1755/796	SS w/ GBB†	370/168
BH1600SS	60 x 34 x 62**	1755/796	Stainless Steel	370/168

- \* Contact Scotsman for bin top requirements. \*\* Add 6" Height for bin legs
- † Stainless steel with galvanized back & bottom.








- 3 years parts and labor on all components.
- 5 years parts and labor on the evaporator.
- 5 years parts on the compressor and condenser.
- Warranty valid in North, South & Central America for commercial installations.
- Contact factory for warranty in other regions. · Residential Applications: 1 year parts and labor




- 101 Corporate Woods Parkway, Vernon Hills, IL 60061 •
- 1-800-SCOTSMAN Fax: 847-913-9844 www.scotsman-ice.com customer.relations@scotsman-ice.com •

## C2648 - 2600lb Cube Ice Machine

Prodigy Plus® Modular Cube Ice Machine







Model Number Cube Size: medium or small	Condenser Unit	Basic Electrical Volts/Hz/Phase	Max. Fuse Size or HACR Circuit Breaker (amps)	Circuit Wires	Min. Circuit Ampacity	Energy Consumption kWh/100 lb (45.4 kg) 90°F(32°C)/70°F(21°C)	Potable	b (liters/45.4 kg) Condenser C)/70°F(21°C)
—C2648MR-3	Remote	208-230/60/3	30	3	20.1	4.44	18.0/68.1	-
∯ -C2648SR-3	Remote	208-230/60/3	30	3	20.1	4.44	18.0/68.1	-



#### All Models

#### Dimensions (W x D x H):

Unit: 48" x 28.5" x 34" (121.9 x 72.39 x 86.36 cm)

Shipping Carton: 53.75" x 32.75" x 40"

(136.5 x 83.2 x 101.6 cm)

Shipping Weight: BTUs per hour: 430 lb / 195 kg 31,600

Refrigerant: R-404A



## Accessories

#### Model Number Description

KVS Vari-Smart™ Ice Level Control - Program ice bin levels to match ice needs.

KSBU Smart-Board™ Advanced Control - Use additional operational data for fast diagnosis.

KSBU-N Smart-Board™ Advanced Control with Network - Network capable.

PRC241-32 Remote condenser for C2648xR, 208-230/60/1

BRTEL25 25ft (7.6 m) line set, brazing required for C2648 units

BRTEL40 40ft (12.2 m) line set, brazing required for C2648 units

BRTEL75 75ft (22.9 m) line set, brazing required for C2648 units

Scotsman recommends all ice machines have water filtration. See Scotsman water filter specification sheet for details.



### **Operating Requirements**

	Minimum	Maximum	
Air Temperatures	50°F (10°C)	100°F (38°C)	
Water Temperatures	40°F (4.4°C)	100°F (38°C)	
Remote Cond. Temps	-20°F (-29°C)	120°F (49°C)	
Water Pressures	20 PSIG (1.4 bar)	80 PSIG (5.5 bar)	
Electrical Voltage	-5%	+10%	

Specifications and design are subject to change without notice.

an Ali Group Compan





Water Usage