Hand held Mixers
Portable mixer+ss tube 653mm/26in, var.speed, 750w, nema 5-15p

ITEM #

MODEL #

NAME #

SIS #

AIA #



602238 (DBP7565U) Portable mixer, hand held immersion blender, variable speed (up to 10000 RPM), handle grip, with 26" cutter tube attachment, 750W, NEMA 5-15P

Short Form Specification

Item No.

Portable mixer, hand held immersion blender, variable speed (up to 10000 RPM), handle grip, with 26" cutter tube attachment, 750W, NEMA 5-15P

APPROVAL:

Main Features

- Parts in contact with food - tube, blade, shaft - can be completely dismounted without tools for easy cleaning.
- Designed to be used directly in stew pots up to 76 gal (290 lt).
- Delivered with:-flat base motor-stainless steel tube-space saving storing wall support
- Anti-splash bell knife design.
- Tube, knife and whisks are dishwasher safe.
- Light weight, ergonomic grip and adjustable speeds make preparation tasks fast and easy.
- Overheating warning red indicator.
- Bayonet system makes fast and simple to exchange tools.
- Productivity suitable for 50 to 300 meals per service.

Construction

- Motor has an air cooling system and is protected against overheating (in case of long intensive work).
- Maximum speed 10000 rpm.
- Power: 750 watts (1 HP).
- Smart speed control to ensure the right power according to the work load.
- Water protected motor unit (controls are IP55, IP34 throughout machine).

Included Accessories


- 1 of BermixerPRO Stainless steel tube 26in (653mm) PNC 650135

Optional Accessories


- BermixerPRO Stainless Steel cutter tube 14in (353mm) PNC 650132 ❑
- BermixerPRO Stainless Steel cutter tube 18in (453mm) PNC 650133 ❑
- BermixerPRO Stainless Steel cutter tube 22in (553mm) PNC 650134 ❑
- BermixerPRO Stainless steel tube 26in (653mm) PNC 650135 ❑
- BermixerPRO Adjustable Rail, for containers 15in - 26in, to be combined with bowl cradle PNC 653292 ❑
- BermixerPRO Bowl Cradle for containers PNC 653294 ❑
- Reinforced whisk for portable BermixerPRO PNC 653578 ❑

Hand held Mixers
Portable mixer+ss tube 653mm/26in, var.speed, 750w, nema 5-15p

Front




Side



EI = Electrical connection

Top



Electric

Supply voltage:	
602238 (DBP7565U)	110-120 V/1 ph/50/60 Hz
Total Watts:	0.8 kW
Plug type:	USA NEMA 5-15P

Key Information:

External dimensions, Width:	5 7/16" (138 mm)
External dimensions, Depth:	4 3/4" (120 mm)
External dimensions, Height:	38 " (965 mm)
Shipping width:	11 7/16" (290 mm)
Shipping depth:	27 3/16" (690 mm)
Shipping height:	7 1/16" (180 mm)
Shipping weight:	12 lbs (5.6 kg)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

Babak Food Equipment

Authorized Dito Sama dealer · Vancouver, BC

View the full Dito Sama range, request a quote or call (604) 566-9747

babakfoodequipment.com/brand/dito-sama